Page 1 of 4 MSDS # 126018001

# **DRANO® CRYSTALS**

Date Issued: 04Feb2002 Supersedes: 26Jan1999

US MANUFACTURER: CANADIAN MANUFACTURER:

S.C. Johnson & Son, Inc. S.C. Johnson and Son, Limited

Phone: (800) 725-6737 Phone: (800) 725-6737 Racine, Wisconsin 53403-2236 1 Webster Street Emergency Phone: (888) 779-7920 Brantford, Ontario N3T 5R1 Transportation Emergency:

> CANUTEC (collect) (613) 996-6666 Poison Control: (888) 779-7920

HAZARD RATING HMIS HAZARD NFPA DISTRIBUTED IN CANADA BY: ------ S.C. Johnson and Son, Limited

3 Health 4-Very High

3-High

3 Health 3 Phone: (800) 725-6737 0 Flammability 0 1 Webster Street 1 Reactivity 1 Brantford, Ontario N3T 5R1 2-Moderate

1-Slight Special 0-Insignificant

----- SECTION 1 - PRODUCT IDENTIFICATION ------

PRODUCT NAME..... DRANO® CRYSTALS

REASON FOR CHANGE..... No significant changes. PRODUCT USE..... Household: Cleaning product

UPC SCJ CODE QUANTITY US SIZE CANADIAN SIZE 59200 00587 55587 12 59200 00588 55588 12 500 GM

#### ------ SECTION 2 - INGREDIENT INFORMATION ------

INGREDIENT	WEIGHT%	EXPOSURE LIMIT/TOXICITY
Aluminum Flakes (CAS# 7429-90-5)		
Sodium Chloride (CAS# 7647-14-5)	7-13	OSHA TWA (TOTAL DUST) , 15 mg/m <sup>3</sup> OSHA TWA (TOTAL DUST) 5 mg/m <sup>3</sup> OSHA TWA (RESPIRABLE DUST)
Sodium Nitrate (CAS# 7631-99-4)		NOT ESTABLISHED 2 mg/m³ ACGIH/OSHA CEILING

#### ------ SECTION 3 - HEALTH HAZARDS IDENTIFICATION (Also See Section 11) ---------

ROUTE(S) OF ENTRY..... Eye contact. Skin contact.

EFFECTS OF ACUTE EXPOSURE:

EYE..... Corrosive: May cause: Permanent eye damage.

SKIN..... Corrosive: May cause: Chemical burns.

INHALATION..... None known.

INGESTION...... May be fatal if swallowed. May cause: Severe damage to the

digestive tract.

MEDICAL CONDITIONS..... None known.

GENERALLY RECOGNIZED AS BEING AGGRAVATED

BY EXPOSURE

## ----- SECTION 4 - FIRST AID MEASURES -----

EYE CONTACT..... Rinse immediately with water. Remove contact lenses, then flush with water for 20 minutes. Seek immediate medical attention.

Page 2 of 4 MSDS # 126018001

## DRANO® CRYSTALS

Date Issued: 04Feb2002 Supersedes: 26Jan1999

----- SECTION 4 - FIRST AID MEASURES (continued) ------SKIN CONTACT..... Immediately remove contaminated clothing, shoes & leather goods. Flush immediately with plenty of water for at least 15 to 20 minutes. Seek immediate medical attention. INHALATION..... No special requirements. INGESTION...... Rinse mouth immediately. Immediately drink 1-2 glasses of water or milk. Do not induce vomiting! Seek immediate medical attention. ------ SECTION 5 - FIRE AND EXPLOSION INFORMATION ------FLASH POINT..... None. FLAMMABLE LIMITS..... Not applicable. AUTOIGNITION..... Not applicable. TEMPERATURE EXTINGUISHING MEDIA.... CO2. Dry chemical. SPECIAL FIREFIGHTING... Fire fighters should wear self-contained breathing apparatus and protective clothing. In case of fire, do not use water. PROCEDURES UNUSUAL FIRE AND...... Corrosive Material (See Sections 8 and 10). EXPLOSION HAZARDS ----- SECTION 6 - PREVENTIVE RELEASE MEASURES -----STEPS TO BE TAKEN IN... Sweep or scrape up and containerize. CASE MATERIAL IS RELEASED OR SPILLED ------ SECTION 7 - HANDLING AND STORAGE ------Poison. May be fatal if swallowed. Causes severe eye and skin PRECAUTIONARY..... INFORMATION damage. Contains: sodium hydroxide. Danger of irreversible eye damage. Avoid contact with skin, eyes and clothing. Read and follow all label directions. Keep out of reach of children. OTHER HANDLING AND.... Store in a cool, dry place with adequate ventilation. STORAGE CONDITIONS ----- SECTION 8 - SPECIAL PROTECTION INFORMATION ------RESPIRATORY PROTECTION. No special requirements under normal use conditions. VENTILATION..... No special requirements. PROTECTIVE GLOVES..... No special requirements under normal use conditions. EYE PROTECTION...... No special requirements under normal use conditions. OTHER PROTECTIVE..... No special requirements. MEASURES ----- SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES -----COLOR..... White

 Page 3 of 4 MSDS # 126018001

# **DRANO® CRYSTALS**

Date Issued: 04Feb2002 Supersedes: 26Jan1999

SECTION 9 - Pl	HYSICAL AND CHEMICAL PROPERTIES (continued)	
EVAPORATION RATE (BUTYL ACETATE=1)	Not applicable.	
VAPOR PRESSURE (mm HG).	Not applicable.	
BOILING POINT		
FREEZING POINT		
COEFFICIENT OFWATER/OIL		
PERCENT VOLATILE BY VOLUME (%)	Not applicable.	
VOLATILE ORGANIC COMPOUND (VOC)	Not applicable.	
THEORETICAL VOC (LB/GAL)	Not applicable.	
SECTION 10 - S	STABILITY AND REACTIVITY	
STABILITY	Stable	
STABILITY - CONDITIONS. TO AVOID	No special requirements.	
	Strong acids (eg., muriatic acid).	
HAZARDOUS DECOMPOSITION PRODUCTS		
HAZARDOUS	Will not occur.	
HAZARDOUSPOLYMERIZATION - CONDITIONS TO AVOID	Not applicable.	
SECTION 11 - 7	TOXICOLOGY INFORMATION (Also See Section 3)	
LD50 (ACUTE ORAL TOX)	Corrosive	
LD50 (ACUTE DERMAL TOX)		
LC50 (ACUTE INHALATION. TOX)	Not available.	
EFFECTS OF CHRONIC EXPOSURE	None known.	
SENSITIZATION	None known.	
CARCINOGENICITY		
REPRODUCTIVE TOXICITY		
TERATOGENICITY		
MUTAGENICITY	None known.	
SECTION 12 - I	ECOLOGICAL INFORMATION	
ENVIRONMENTAL DATA	Not available.	
SECTION 13 - DISPOSAL CONSIDERATIONS		
WASTE DISPOSAL INFORMATION	Waste from normal product use may be sewered to a public-owned treatment works (POTW) in compliance with applicable Federal/Provincial/State/Local/Municipal pretreatment requirements.	

#### MATERIAL SAFETY DATA SHEET

Page 4 of 4 MSDS # 126018001

### DRANO® CRYSTALS

Date Issued: 04Feb2002

SECTION 14 - 7	ΓRANSPORTATION INFORMATION	
US DOT INFORMATION CANADIAN SHIPPING NAME. TDG CLASSIFICATION PIN/NIP PACKING GROUP EXEMPTION NAME	DRANO Not applicable. Not applicable. Not applicable.	
SECTION 15 - I	REGULATORY INFORMATION	
WHMIS CLASSIFICATION	Not applicable.	
All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.		

Supersedes: 26Jan1999

All ingredients in this product comply with the New Substances Notification requirements under the Canadian Environmental Protection Act (CEPA).

This product is not subject to the reporting requirements under California's Proposition 65.

## 

PREPARED BY...... Manufacturer's Technical Support Department. Refer to page 1 (Manufacturer) for contact information.

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

PRINT DATE: 100ct2002